

VINYL STRIP CURTAINS


Vinyl Strip Curtains by Kason are ideal for food service, refrigerated truck bodies, warehouse dock doors and man doors. Spaces previously too small, too wide, or too high can now be effectively closed off. Reduces energy loss up to 50% when used with standard doors. Protects products and personnel. Ideal for high traffic areas where visibility is important.

FAST INSTALLATION

Track mounts quickly to wall or ceiling. The pre-assembled cleated strips slide into track.


EASY STRIP REPLACEMENT

Removable front panel (figure 1) gives easy access for strip replacement. No special tools are needed to remove access door; just take out retainer pins and lift. Remove access panel and slide out old strips (figure 2). Snap sturdy plastic cleats onto new, pre-cut vinyl strips and slide into track. Replace access panel.



ThermalFlex® Easimount II™ Systems

Easimount II™ (figure 3) mounts on light-weight aluminum track. Ideal on vehicle doors and warehouse man doors. Accepts material from 4" to 12" wide and can be mounted overhead, on the wall or mounted on side walls (see figure 4). Easimount II™ can be special ordered by specifying the length and width needed.



Call Mill Supply with your special order or order the size below.

Part No.	Size	Strip Width	Material Thickness
88-636*	38"W x 84"L	6"	.060
88-648*	51"W x 84"L	6"	.060


*Brackets (figure 4) are *not* included with these kits.

ThermalFlex® Maximount™ Systems



Heavy duty aluminum track and ribbed strips (figure 5) are popular in industrial applications. Same easy installation and replacement as Easimount II™.

Recommended for warehouse and man doors. Strong "Ribbed" strips can handle lift trucks and other vehicles being driven through. Can be special ordered or order one of the sizes below.



Part No.	Size	Strip Width	Material Thickness
88-450	74"W x 96"L	8"	.080
88-460	86"W x 96"L	8"	.080

Replacement strips are available, call for detailed information.


WHEEL CHOCKS

Made of Tough Reinforced Rubber - Resistant to Sun, Salt, Oil and acid - Practically Indestructible



76-530
Rubber Wheel Chock
Height 5", Serrated Base
Road Contact: 5" x 6"
Weight: 2.35 lbs.

76-550
Rubber Wheel Chock
Height 5", Serrated Base
Road Contact: 8" x 6"
Weight: 5.9 lbs.



76-590
Heavy-Duty Rubber Wheel Chock with Anchor for Chain & Hand Hold
Height: 8-1/4"
Road Contact: 7" x 10-1/4"
Weight: 11.15 lbs.

76-595
Heavy-Duty Rubber Wheel Chock with Handle
Height: 5"
Road Contact: 10" x 8"
Weight: 8.00 lbs.



76-770
Aluminum Wheel Chock
28,000 lb. capacity
Height: 5-1/4"
Road Contact: 6" x 7"
Weight: 1.50 lbs.

76-775
Extruded Aluminum Wheel Chock
Height: 5-11/16"
Road Contact: 6" x 8-3/4"
Weight: 4.50 lbs.



76-585
Yellow Composite Wheel Chock with Rope
Safety yellow recycled composite, connected together with 32" rope
Height: 4"
Road Contact: 9-1/2" x 6"
Weight: 10.50 lbs.



CARGO CONTROL

Cam Buckle E-Strap Assembly



84-512 ..12 foot
84-516 ...16 foot
84-520 ..20 foot

12', 16' or 20' Cam Buckle E-Strap Assembly. Uses weather resistant, 4500 lb. rated, yellow strapping. 48" fixed end length. **Working load limit of 833. lbs.**


Ratchet Buckle E-Strap Assembly



84-312 - 12 foot with 3-piece end fitting
84-212 - 12 foot with spring loaded end fitting

12' Ratchet Buckle E-Strap Assembly. Can be order with 3-piece end fitting or a spring loaded end fitting. 48" fixed end length. Assembled using heavy-duty 12,000 lb. weather resistant yellow polyester webbing. **Working load limit: 1000 lbs.**

Series E Aluminum Shoring Beam



84-584 84.5"-95.4"
84-593 93"-102"

Series E Aluminum Decking/Shoring Beam Assembly with spring loaded end latch assembly. 2200 lb. Working Load Limit




Replacement Parts

43627-10 End Assembly with spring loaded end fitting. Can be used with old or new aluminum beams. We recommend ordering the rivet pin 41338-10 when ordering this end assembly.

41338-10 - Rivet Pin for End Assembly

Horizontal Series E-Track

Can be cut to ship UPS.
Cutting charge applies.




E-Track. Powder coated, 10 foot long, 12-gauge steel. Strength: 50,000 lbs. minimum yield. Can be attached by screws, rivets or welded.

84-500 E-Track, 10 ft length

Roll-Up DoorGuard™

If you haul cargo that may be unsecure, TODCO DoorGuard™ will protect your doors from knocks and bangs. One size fits all 96" to 102" wide trailers and box vans. Kits include all necessary hardware and fasteners for mounting plus instructions.



39-582 - Load Bar Assembly complete with 2 catch plates and enough camtainer fasteners to mount load bar to door.

CARGO CONTROL

Cargo Straps

84-105 - 20' Pull Strap,
1" Wide with 'S' Hooks, with
4 ft. fixed end

8L-4242 - 15' Ratchet Strap,
1" Wide with 'S' Hooks with
1 ft. fixed end



Rubber Tarp Straps

Heavy duty with hundreds of uses. Hooks
included. Length shown is rubber only, add 5"
to get total length with hooks.

- M-1098-9** 9" strap
- M-1098-15** 15" strap
- M-1098-20** 20" strap
- M-1098-31** 31" strap
- M-1098-41** 41" strap



Cake Rack Spring Fastener

5697-C Cake Rack Fastener - Eliminate sliding cake
racks permanently! Spring actuated for easy operation.
Racks slide in automatically but need to be released for
removal. Dim: 3/4"W x 8-7/8"L


Recessed Rope Ring

84-601 Recessed Rope Ring.
Recessed 3/8" to allow a
near-to-flush finish. Bright zinc.
5"L x 3-1/2"W, (3) 5/16" mounting
holes on 2" centers.



Mini Steel Latch Bolt

5597-Z Used on drawers and small
cabinets. Spring loaded, easily
actuated. 4-3/4" long



Document Pouch

84-900 Document Pouch with 4 metal
grommets for mounting. Keep important
papers well protected and in plain view
for quick reference and vehicle
inspections. Pouch Size: 11" x 6" with
full lid, Black in Color.

Always Level Drink Holder

18-615 Eliminates spills—keeps drivers eyes
on road. Hold mugs, fast food drinks and pop
cans (insulator included). Mounts with two
screws (included).




SAFETY TAPE & PAINT

**Reduce Slipping and Falling Accidents
with High Traction Tape and Paint**

Anti-Slip, High Traction Safety Tape

Order by Case
or 60' Roll

Part No.	Size	In Case
31-001	1" x 60'	12
31-002	2" x 60'	6
31-003	3" x 60'	4
31-004	4" x 60'	3
31-006	6" x 60'	2
31-012	12" x 60'	1



SAFETY TRACK is a tough durable adhesive-backed grit
surface which provides long-lasting protection even
when exposed to heavy traffic, water, or grease.
SAFETY TRACK can be used indoors or outdoors
and gives excellent conformability to irregular
surfaces. It is easily installed in seconds to any
clean, dry, oil free surface including wood, metal,
asphalt and concrete - just peel off the paper
backing and press in place - it is ready
immediately.



Safe-Stride Anti-Slip Paint

Safe-Stride is a custom-formulated paint. It contains integrated
grit to provide a tough anti-slip surface. Use on wood, metal,
asphalt, marble, concrete, slate, brick, and stone. Resists salt
and fresh water petroleum products, alkalis, soaps, detergents,
mineral acids in medium concentration
and most solvents.



- Ready to use
- One Gal. Covers approx.
100 sq. ft.
- Can be applied by roller,
brush or trowel
- Dries in 8-10 hours

- 31-040** *One Gallon, Oil Base, Gray
- 31-042** One Gallon, Water Base, Gray
- 31-044** One Gallon, Water Base, Yellow
- 31-076** One Gallon, Water Base, Black

*Must be shipped separately from other products via USPS surface only.

REDUCE ACHES AND PAINS WITH ANTI-FATIGUE MATS

1/4" Thick

Use for:

- Floor of Walk-In Van
- Cargo area - Center of Box
- Drivers area - Step Well
- Front of Work Bench
- Behind Counter Area

- Durable Pebble Surface
- Long Wearing
- Sponge Vinyl Construction
- Easy Clean
- Made in U.S.A.

Use these mats at a work station to reduce
back strain and foot pain or on the floor of
your step van to insulate, reduce noise and
keep the area slip-free.

- 78-314**Anti-Fatigue Mat 3' wide x 60' long
- 78-318**Anti-Fatigue Mat 3' wide sold per foot

IN CAB SAFES

Quickly Rid Yourself of Cash with an "In-Cab" Safe

Though it is not possible to totally protect the vehicle or driver from incidents involving criminal acts; measures can be taken to deter or lessen the effects of such occurrences and provide a reasonable measure of safety for the driver and cargo. One of these measures is to use an in-cab safe. Below are three popular safes that are an excellent means to deter theft.

15-160 - 6"W x 10"H x 12"L Safe with Rotary Hopper.



The most secure safe for drivers is our Rotary Hopper Safe. (Part No. 15-160) The rotary hopper allows small bags of cash or change to be loaded without unlocking the safe. The driver has no need to open this safe until cash needs to be removed. This safe measure 6"W x 10"H x 12"L with the rotary hopper built on top. Wall thicknesses are 3/16" with 1/4" steel end plate and door and rated at 50,000 p.s.i. tensile strength. This is a keyed safe with two different keys required to open the door. The driver may have one key and the company supervisor has the other.

It is designed so two persons are required to access the safe. The door of the safe clearly states: Two keys are required to open this safe, operator has only one key.

15-100 - 4"W x 6"H x 10"L Safe with 2 Cylinders

If loose change is not collected and only bills or checks are received then this "Two Cylinder Safe" is a popular option. Measuring 4"W x 6"H x 10"L this mini safe is virtually impossible to break open. Wall thicknesses are 3/16" with 1/4" steel end plate and door and is rated at 50,000 p.s.i. tensile strength. This is a keyed safe with two different keys required to open the door. The driver may have one key and the company supervisor has the other. The door of the safe clearly states: Two keys are required to open this safe, operator has only one key.



15-125 4"W x 6"H x 10"L Safe with provision for Padlock (Padlock not included)

When the proper padlock is used (shrouded shackle type with restricted keying) it makes this "Padlock Safe" an ideal choice. This safe measures 4"W x 6"H x 10"L and is of the same 3/16" walls with 1/4" plate ends as the other safes. If you are an independent operator and owner of a business, this safe is an excellent deterrent to petty thefts.



15-710 - Standard Lock Cylinder only. Comes with key lock safes but can also be ordered separately.

15-199
Decal for truck, 8" x 10"

THIS TRUCK
EQUIPPED WITH SAFE
**DRIVER CANNOT
OPEN IT**

CLEAN-UP

RELEASE D'GREASE™

18-180 - RELEASE D'GREASE™, 1 gallon. Cleans and degreases all types of floors, cement, porcelain, plastic, walls, wood and metallic surfaces. Safe enough to use on U.S.D.A. inspected food contact surfaces. Mix in the lowest dilution for glass and light cleaning; use strongest dilution for engine grease and soap scum.




BRUSKE BLOT-IT™

18-190 - BLOT-IT - 2-1/2 pounds of nonskid, super absorbent compound. Absorbs any liquid from almost any surface like a blotter. Use on oil, paint, grease, solvents, fuel, acids and even liquid hazardous materials. 5 to 10 times more effective than traditional absorbents.



BRUSKE BRUSH™

Industrial quality broom with 5 year guarantee on all metal parts, no more broken handles. Water, oil and grease can't hurt it. Bolt on steel handle. Light weight.



23" wide

18-134 - Blue Brush - (fine) Brush with flagged bristles. Great for dust and powder.

18-154 - Black Brush - (medium) For dry, wet or oily conditions. Garage, shops or factory.

18-174 - Brown Brush - (coarse) Bristles for extra rough floors, unsurpassed for heavy refuse, snow or scrubbing

BRUSKE SQUEE-GEE™

High performance squeegee with 57" steel handle. Four blades to choose from, 30" or 36" — straight or curved. Light weight for clean smooth sweeps.



18-530 - 30" Straight Blade Squeegee with handle

18-536 - 36" Straight Blade Squeegee with handle

18-630 - 30" Curved Blade Squeegee with handle

18-636 - 36" Curved Blade Squeegee with handle

18-810 - 57" Steel Handle for squeegees and brooms

TRUCK WASH & WINDOW BRUSH

10" x 2-1/2" x 1-1/2" block



18-117 - Very Soft - nylon truck & window brush. Green bristle, 100 percent flagged nylon; very soft, will not scratch. (Order handle separately, see below.)


18-116 - Soft -poly truck & window brush blue bristle. (Order handle separately)

18-710 - Deck Scrubber with stiffer bristles for scrubbing floors and interior step wells. (Order handle separately, see below.)

18-820 - 57" Wood Handle - Hardwood handle, heavy-duty

18-818 - 60" Fountain Handle - Hollow fountain handle for hose

LOADING RAMPS



1 & 2



3



4

Security Lock & Hasp Keeps swing doors secure!



- Cylindrical lock provides maximum protection.
- Hasp shields the cylinder, providing extra security
- Heavy-duty zinc-plated steel lock. Zinc-plated & black powder coated hasp.
- Includes all mounting fasteners.
- Lock & hasp sold separately.



Part #	Description
SL-100	Zinc plated security lock, shielded, sold separately
SLH-100	Zinc plated hasp for security lock, sold separately

1) BI-FOLD PORTABLE ALUMINUM LOADING RAMPS – 750 to 1000 lb CAPACITY. A 6" lip secures it to the vehicle. Non-slip surface provides great traction in all condition. Folds roughly in half.

Part No.	Description
466-2472	24" x 72", 1000 lb. capacity. Weight: 49 lbs. Can ship UPS.
466-2490	24" x 90", 1000 lb. capacity. Weight: 62 lbs. Can ship UPS.
466-24108	24" x 108", 750 lb. capacity. Weight: 75 lbs. Can ship UPS.
466-3072	30" x 72", 1000 lb. capacity. Weight: 56 lbs. Can ship UPS.
466-3090	30" x 90", 1000 lb. capacity. Weight: 71 lbs. Can ship UPS.
466-30108	30" x 108", 750 lb. capacity. Weight: 85 lbs. Can ship UPS with oversize charges.
466-3672	36" x 72", 1000 lb. capacity. Weight: 64 lbs. Can ship UPS with oversize charges.
466-3690	36" x 90", 1000 lb. capacity. Weight: 80 lbs. Can ship UPS with oversize charges.
466-36108	36" x 108", 750 lb. capacity. Weight: 96 lbs. Can ship UPS with oversize charges.

2) BI-FOLD PORTABLE ALUMINUM LOADING RAMPS – 350 to 500 lb CAPACITY. A 6" lip secures it to the vehicle. The non-slip surface provides great traction. The ramp folds roughly in half.

Part No.	Description
464-2472	24" x 72", 500 lb. capacity. Weight: 33 lbs. Can ship UPS.
464-2490	24" x 90", 500 lb. capacity. Weight: 41 lbs. Can ship UPS.
464-3072	30" x 72", 500 lb. capacity. Weight: 39 lbs. Can ship UPS.
464-3090	30" x 90", 350 lb. capacity. Weight: 49 lbs. Can ship UPS.

3) REAR DOOR MOUNTED, ALUMINUM BI-FOLD LOADING RAMPS – 1000 lb CAPACITY. Mounts just inside the rear door of cargo vans and stores vertically. The non-slip surface provides great traction.


Part No.	Description
456-2472	24" x 72", 1000 lb. capacity. Fits Chevy Astro & GMC Safari. Weight: 84 lbs. Can ship UPS.
456-2481	24" x 81", 1000 lb. capacity. Fits Chevy Express, GMC Savannah & Sprinter Van. Weight: 90 lbs. Can ship UPS.
456-3072	30" x 72", 1000 lb. capacity. Fits Chevy Astro & GMC Safari. Weight: 94 lbs. Can ship UPS.
456-3081	30" x 81", 1000 lb. capacity. Fits Chevy Express, GMC Savannah & Dodge Sprinter. Weight: 100 lbs. Can ship UPS.

4) SIDE DOOR MOUNTED, ALUMINUM BI-FOLD RAMPS. 1000 lb. CAPACITY. Mounts into the step on the side door of cargo vans and stores vertically. The non-slip surface provides great traction.

Part No.	Description
454-2481	24" x 81", 1000 lb. capacity. Fits Chevy Express, GMC Savannah, Sprinter & Econoline vans. Weight: 82 lbs. Can ship UPS.
454-3081	30" x 81", 1000 lb. capacity. Fits Chevy Express, GMC Savannah & Ford Econoline vans. Weight: 92 lbs. Can ship UPS.
454-2472	24" x 72", 1000 lb. capacity. Fits the Chevy Astro & Express, GMC Safari & Savannah, Sprinter & Econoline vans. Weight: 76 lbs. Can ship UPS.

MISC

LOADING RAMPS



5



6 & 7



8

5) MOUNTED REAR DOOR, ALUMINUM BI-FOLD RAMPS that fit SPRINTER VANS – 750 lb. CAPACITY. Mounts just inside the rear door of cargo vans and stores vertically. The non-slip surface provides great traction in all conditions.

Part No.	Description
456-24108	24" x 108", 750 lb. capacity. Fits the Sprinter. Weight: 108 lbs. Can ship UPS.
456-24117	24" x 117", 750 lb. capacity. Fits the "high-roof" Sprinter & many boxtruck. Weight: 114 lbs. Can ship UPS.
456-30108	30" x 108", 750 lb. capacity. Fits the Sprinter Van Weight: 108 lbs. Can ship UPS with oversize charges.
456-30117	30" x 117", 750 lb. capacity. Fits the "high-roof" Sprinter Van & many boxtruck. Weight 124 lbs. Can ship UPS with oversize charges.
456-36108	36" x 108", 750 lb capacity. Fits Sprinter Van. Weight: 128 lbs. Can ship UPS with oversize charges.
456-36117	36" x 117", 750 lb capacity. Fits the "high-roof" Sprinter & many boxtruck. Weight 134 lbs. Can ship UPS with oversize charges.

6) NON-FOLDING PORTABLE ALUMINUM RAMPS – 750 to 1000 lb. CAPACITY. A 6" lip secures it to the vehicle. The non-slip surface provides great traction in all conditions.

Part No.	Description
470-2472	24" x 72", 1000 lb. capacity. Weight: 49 lbs. Can ship UPS.
470-2490	24" x 90", 1000 lb. capacity. Weight: 62 lbs. Can ship UPS with oversize charges.
470-24108	24" x 108", 750 lb. capacity. Weight: 75 lbs. Ships Freight.
470-3072	30" x 72", 1000 lb. capacity. Weight: 56 lbs. Can ship UPS with oversize charges.
470-3090	30" x 90", 1000 lb. capacity. Weight: 71 lbs. Can ship UPS with oversize charges.
470-30108	30" x 108", 750 lb. capacity. Weight: 62 lbs. Ships Freight.
470-3672	36" x 72", 1000 lb. capacity. Weight: 64 lbs. Can ship UPS with oversize charges.
470-3690	36" x 90", 1000 lb. capacity. Weight: 80 lbs. Ships Freight.
470-36108	36" x 108", 750 lb. capacity. Weight: 96 lbs. Ships Freight.

7) NON-FOLDING PORTABLE ALUMINUM RAMPS – 350 to 500 lb. CAPACITY. A 6" lip secures it to the vehicle. The non-slip surface provides great traction in all conditions.

Part No.	Description
468-2472	24" x 72", 500 lb. capacity. Weight: 33 lbs. Can ship UPS.
468-2481	24" x 81", 500 lb. capacity. Weight: 37 lbs. Can ship UPS.
468-2490	24" x 90", 500 lb. capacity. Weight: 41 lbs. Can ship UPS with oversize charges.
468-3072	30" x 72", 500 lb. capacity. Weight: 39 lbs. Can ship UPS with oversize charges.
468-3090	30" x 90", 350 lb. capacity. Weight: 49 lbs. Can ship UPS with oversize charges.

8) MOUNTED REAR DOOR TRI-FOLD ALUMINUM RAMPS – 1000 lb CAPACITY. Adjustable leg assists loading equipment with shallow clearance. The non-slip surface provides great traction in all conditions.

Part No.	Description
458-24119	24" x 119", 1000 lb. capacity. Fits Chevy Express, GMC Savannah & Sprinter Vans. Weight: 115 lbs. Can ship UPS.
458-30119	30" x 119", 1000 lb. capacity. Fits Chevy Express, GMC Savannah, & Sprinter Vans. Weight: 130 lbs. Can ship UPS with oversize charges.
458-36119	36" x 119", 1000 lb. capacity. Fits Chevy Express, GMC Savannah & Sprinter Vans. Weight: 145 lbs. Ships Freight.